

# JPO

Finishing for HRSA Materials | BIDEMICS

**NTK**  
CUTTING TOOLS





## Machine HRSA materials at speeds of 480 m/min with **BIDEMICS**

BIDEMICS is a revolutionary material, released in 2014, which has greatly improved productivity for manufacturers machining HRSA materials; predominantly in the Aerospace industry. Now, we are releasing the newest evolution of this material with improved wear resistance.

# JPO

Finishing for HRSA Materials | BIDEMICS

# BIDEMICS JPO

## Industry changing - Super high speed finishing of HRSA materials.

Up to 15 times faster speeds vs. carbide and CBN

### Key Points

- Wear resistance provides performance and consistency of machined part straightness
- Offers finishing speeds of 500 m/min


### Application Area

Continuous cuts when finishing HRSA materials


### Recommended Cutting Conditions

Grade	Material	Application	Process	Cutting speed (m/min)	Feed (mm/rev)	DOC (mm)	With coolant
JPO	Heat Resistant Super Alloys	Turning	Finishing	180-500	0.05-0.20	0.1-0.7	●


### Cutting Speed and Wear Resistance Comparison



### Wear Resistance




### Part's Straightness Performance



### Recommended Machining Passes at a Corner

#### 1. Roughing pass


- BIDEMICS
- Whisker
- SIAION



Use a strong geometry insert like a round, RNGN120700, for heavy material removal

#### 2. Semi-finishing pass


- SIAION



SIAION grades are best to remove extra material at the corner

#### 3. Finishing pass

- JPO




JPO - Machine with a consistent DOC to provide stable tool life

### Insert Item List

Geometry	EDP	Item number	Corner R	Grade	Dimensions (mm)		
				JPO	IC	Thickness	Edge preparation
	5106604	CNGA 120404 BQENB	0.4	●	12.7	4.76	Honed edge 0.04
	5106620	120408 BQENB	0.8	●			
	5106612	120412 BQENB	1.2	●			
	5106646	DNGA 150404 BQENB	0.4	●	9.525	4.76	Honed edge 0.04
	5106653	150408 BQENB	0.8	●			
	5106661	150412 BQENB	1.2	●			
	5106679	VNGA 160404 BQENB	0.4	●	9.525	4.76	Honed edge 0.04
	5106687	160408 BQENB	0.8	●			

**NTK turning solutions for HRSA materials**



**NTK Grade**

- BIDEMICS
  - JX1   • JP0
  - JX3   • JP2
- Whisker ceramics
  - WA1
  - WA5
- SiAlON ceramics
  - SX3
  - SX5
  - SX7
  - SX9



**NTK CUTTING TOOLS EUROPE**

Harkortstr.41 40880 Ratingen, Germany

	Official Website	<a href="http://www.ntk-cuttingtools.com/en">www.ntk-cuttingtools.com/en</a>	
	YouTube Channel	<a href="http://www.youtube.com/NTKCUTTINGTOOLS">www.youtube.com/NTKCUTTINGTOOLS</a>	
	LinkedIn	<a href="http://www.linkedin.com/showcase/ntk-cutting-tools-europe">www.linkedin.com/showcase/ntk-cutting-tools-europe</a>	
	Contact us	<a href="mailto:info-ntk-cuttingtools@ngkntk.de">info-ntk-cuttingtools@ngkntk.de</a>	

**NTK Cutting Tools (UK) Limited**

Maylands Avenue, Hemel Hempstead, Herts HP2 4SD

	Official Website	<a href="http://www.ntkcuttingtools.co.uk">www.ntkcuttingtools.co.uk</a>	
	YouTube Channel	<a href="http://www.youtube.com/NTKCUTTINGTOOLS">www.youtube.com/NTKCUTTINGTOOLS</a>	
	LinkedIn	<a href="http://www.linkedin.com/company/ntk-cutting-tools-uk">www.linkedin.com/company/ntk-cutting-tools-uk</a>	
	Contact us	<a href="mailto:ntkcuttingtools@ngk.co.uk">ntkcuttingtools@ngk.co.uk</a>	

