

<80° 菱形 ネガ>

品番	内接円(IC)	厚さ(T)
CN_1204	12.7	4.76

形状	品番	インチ系	コーナ R	PVDコーテッド 微粒子超硬								コーナ D/C	超硬	適合ホルダ 参照ページ	ブレーカ適用範囲																																																								
				ST4	ZM3	QM3	VM1	TM4	DT4	DM4	CP1					CP7	KM1																																																						
				<table border="1"> <tr><td>鋼</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>ステンレス鋼</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>鋳鉄</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>非鉄金属材料</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>耐熱合金</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>高硬度</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> </table>				鋼	●	●	●	●	●	●	●	●	●	ステンレス鋼	●	●	●	●	●	●	●	●	●	鋳鉄	●	●	●	●	●	●	●	●	●	非鉄金属材料	●	●	●	●	●	●	●	●	●	耐熱合金	●	●	●	●	●	●	●	●	●	高硬度	●	●	●	●	●	●	●	●	●	<ul style="list-style-type: none"> ● : 第1推奨 ● : 第2推奨 			
鋼	●	●	●	●	●	●	●	●	●																																																														
ステンレス鋼	●	●	●	●	●	●	●	●	●																																																														
鋳鉄	●	●	●	●	●	●	●	●	●																																																														
非鉄金属材料	●	●	●	●	●	●	●	●	●																																																														
耐熱合金	●	●	●	●	●	●	●	●	●																																																														
高硬度	●	●	●	●	●	●	●	●	●																																																														
	CNGG120404FNUL	CNGG431FNUL	0.4			●		●		●				F11 F13 G42 K36																																																									
	120408FNUL	432FNUL	0.8			●		●		●																																																													
	CNMG120408G	CNMG432-G	0.8								●																																																												
	120412G	433-G	1.2								●																																																												
	120416G	434-G	1.6								●																																																												
	CNMG120408TNBZ5	432-TNB-Z5	0.8			●						●																																																											
	CNGG120404FNZP	CNGG431-FN-ZP	0.4		●	●						●																																																											
	120408FNZP	432-FN--ZP	0.8		●	●						●																																																											

● : 標準在庫 ● : 新標準在庫 ■ : 標準在庫廃止予定品 ★ : 標準在庫品(特定)

<55° 菱形 ネガ>

品番	内接円(IC)	厚さ(T)
DN_1504	12.7	4.76

形状	品番	インチ系	コーナ R	PVDコーテッド 微粒子超硬								コーナ D/C	超硬	適合ホルダ 参照ページ	ブレーカ適用範囲																																																								
				ST4	ZM3	QM3	VM1	TM4	DT4	DM4	CP1					CP7	KM1																																																						
				<table border="1"> <tr><td>鋼</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>ステンレス鋼</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>鋳鉄</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>非鉄金属材料</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>耐熱合金</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> <tr><td>高硬度</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td><td>●</td></tr> </table>				鋼	●	●	●	●	●	●	●	●	●	ステンレス鋼	●	●	●	●	●	●	●	●	●	鋳鉄	●	●	●	●	●	●	●	●	●	非鉄金属材料	●	●	●	●	●	●	●	●	●	耐熱合金	●	●	●	●	●	●	●	●	●	高硬度	●	●	●	●	●	●	●	●	●	<ul style="list-style-type: none"> ● : 第1推奨 ● : 第2推奨 			
鋼	●	●	●	●	●	●	●	●	●																																																														
ステンレス鋼	●	●	●	●	●	●	●	●	●																																																														
鋳鉄	●	●	●	●	●	●	●	●	●																																																														
非鉄金属材料	●	●	●	●	●	●	●	●	●																																																														
耐熱合金	●	●	●	●	●	●	●	●	●																																																														
高硬度	●	●	●	●	●	●	●	●	●																																																														
	DNMG150404G	DNMG431-G	0.4								●			F15 F17 G43 K37																																																									
	150408G	432-G	0.8								●																																																												
	150412G	433-G	1.2								●																																																												
	DNMG150404TNG	DNMG431-TN-G	0.4			●																																																																	
	DNMG150408TNBZ5	DNMG432-TNB-Z5	0.8			●						●																																																											
	DNGG150404FNZP	DNGG431-FN-ZP	0.4		●	●						●																																																											
	150408FNZP	432-FN--ZP	0.8		●	●						●																																																											

● : 標準在庫 ● : 新標準在庫 ■ : 標準在庫廃止予定品 ★ : 標準在庫品(特定)

