


FSW TOOL

Friction stir welding Ceramic tool | Carbide tool



*FSW Evolution for Ferrous Metals
Driven by Ceramic Materials and Advanced Engineering*



CERtainly (but not only) ***CERamics***
Outstanding solutions for demanding applications



I Advantages of FSW

- Solid state joining without melting
- High-strength, high-quality welds
- No spatter, fumes, or harmful emissions
- Enables dissimilar material joining
- Suitable for automation and mass production



For more information

I Ceramic & Carbide grade information

Image	Grade	Features
For Ferrous metals 	SiAlON Ceramics	High-performance SiAlON ceramic material with reinforced toughness, excellent thermal shock resistance, and outstanding wear durability
For Non-ferrous metals 	Fine particle cemented carbide	Enhanced toughness and superior resistance to chipping

I Welding conditions guideline

	Rotation speed (min ⁻¹)	Table feed (mm/min)
Ceramic	1,000 - 2,000	200 - 1,000
Carbide	1,000 - 4,000	1,000 - 2,000

Ceramic Solution

For welding temperature 1,000°C level



SiAlON Ceramics


For **high** melting point metals

Ferrous metals / Stainless steel, Carbon steel

Non-ferrous metals / Copper



Stainless steel




Copper



Carbon steel

Carbide Solution

For welding temperature 500°C level



Fine particle cemented carbide

For **low** melting point metals

Non-ferrous metals / Aluminum alloy, Die-cast



Aluminum



I Dimensional ref. for custom made product

All FSW tools are custom-made. Please ensure that the tool design falls within the dimensional limits (diameter and length) specified below, as there are manufacturing constraints.

Tool




For ferrous metals

CERAMIC

I High Strength SiAlON Ceramics

Material



Physical properties[※]

Density g/cm ³	Hardness HRA	Transverse intensity MPa	Young's modulus GPa	Thermal expansion coefficient X10 ⁻⁶ /K	Thermal conductivity W/m·K
3.3	93.5	1,200	330	3.0	15

Tool




For Non-ferrous metals

CARBIDE

I Fine Particle Cemented Carbide

Material



Physical properties[※]



Density g/cm ³	Hardness HRA	Transverse intensity MPa	Young's modulus GPa	Thermal expansion coefficient X10 ⁻⁶ /K	Thermal conductivity W/m·K
14.4	91.0	3,000	580	5.8	63


Blank dimensions	Metric		Inch	
	Diameter	Length	Diameter	Length
	φ6mm	28mm	.236"	1.102"
		60mm		2.362"
	φ8mm	28mm	.315"	1.102"
		60mm		2.362"
	φ10mm	31mm	.393"	1.220"
		65mm		2.559"
	φ12mm	32mm	.472"	1.260"
		70mm		2.756"
	φ16mm	35mm	.630"	1.378"
		41mm		1.614"
		75mm		2.953"
	φ20mm	43mm	.787"	1.693"



Metric		Inch	
Diameter	Length	Diameter	Length
φ6mm	38mm	.236"	1.496"
	80mm		3.150"
φ8mm	38mm	.315"	1.496"
	80mm		3.150"
φ10mm	28mm	.393"	1.102"
	60mm		2.362"
φ12mm	32mm	.472"	1.260"
	70mm		2.756"
φ16mm	38mm	.630"	1.496"
	80mm		3.150"
φ20mm	48mm	.787"	1.890"
	100mm		3.937"

The tool shape shown in the photo is for illustrative purposes only; actual shapes may vary.
Custom made products are manufactured by precision grinding from the blanks shown above.


I Practical examples

	NTK FSW		Competitor						
Industry	Automotive								
Component	Busbar								
Material ISO code	N N - Non-ferrous metal C1020								
Machine (spindle type)	FSW Machine	None							
Grade	Ceramic	Bolt fastening							
Tool shoulder diameter	ϕ 10								
Rotation speed (min ⁻¹)	1,910								
Welding speed (m/min)	60								
Table feed (mm/min)	573								
Feed rate (mm/rev)	0.3								
Joint image									
Results	 <table border="1"><thead><tr><th>Method</th><th>Weight (kg)</th></tr></thead><tbody><tr><td>FSW</td><td>64.2</td></tr><tr><td>Conventional (By Bolt)</td><td>70.0</td></tr></tbody></table>		Method	Weight (kg)	FSW	64.2	Conventional (By Bolt)	70.0	
Method	Weight (kg)								
FSW	64.2								
Conventional (By Bolt)	70.0								
Benefits	• Eliminating bolts, contributes to weight reduction • Save cost for bolts								





	NTK FSW	Competitor
Industry	Heavy	
Component	Hull parts	
Material ISO code	M M - Stainless steel SUS304	
Machine (spindle type)	FSW Machine	Welding machine
Grade	Ceramics	-
Tool shoulder diameter	$\phi 16$	-
Rotation speed (min^{-1})	1,375	-
Welding speed (m/min)	69	-
Table feed (mm/min)	275	120
Feed rate (mm/rev)	0.2	-
Joint image		
Results		
Benefits	• Achieved 2.3x reduction in processing time compared to conventional welding.	



	NTK FSW	Competitor
Industry	Automotive	
Component	Battery case	
Material ISO code	N N - Non-ferrous metal ADC12 & A6061	
Machine (spindle type)	Vertical Machining Center	None
Grade	Carbide	Bolt fastening
Tool shoulder diameter	ϕ8	
Rotation speed (min ⁻¹)	4,000	
Welding speed (m/min)	100	
Table feed (mm/min)	1,000	
Feed rate (mm/rev)	0.25	
Joint image		
Results	Weight (kg) 70.5 70 69.5 69 68.5 68 67.5 67 66.5 66 65.5 Reduced 3.1kg/unit FSW Conventional (By Bolt) 	
Benefits	• Eliminating bolts, contributes to weight reduction. • Significant weight reduction can be expected by replacing conventional bolt fastening with FSW for busbar component joining.	

I Description of FSW tool



Manufacturable tool diameter


(Metric) : $\phi 6$, $\phi 8$, $\phi 10$, $\phi 12$, $\phi 16$, $\phi 20$ mm

(Inch) : .236" / .315" / .393" / .472" / .630" / .787"

I Key points to make FSW tools

 Essential for creating optimal tools—please collect with care.


Workpiece Information




☐ Workpiece material : _____ & _____

☐ Workpiece thickness : _____ mm


Welding method




☐ Line welding or



☐ Spot welding



☐ Butt joint or



☐ Lap joint

Machine power & Spindle interface

☐ Thrust force resistance : _____ N
ex. 5,000 N

&

☐ Spindle interface : _____
ex. BT50 / HSK100



Tungaloy-NTK America, Inc.

3726 N. Ventura Drive
Arlington Heights
IL 60004, U.S.A.
Phone: +1-888-554-8394
Fax: +1-888-554-8392
www.tungaloy.com/us
<https://www.ntkcuttingtools.com/us/>

Tungaloy Canada

432 Elgin St. Unit 3, Brantford
Ontario N3S 7P7, Canada
Phone: +1-519-758-5779
Fax: +1-519-758-5791
www.tungaloy.com/ca

Tungaloy-NTK de Mexico S.A.

C/ Los Arellano 113
Parque Industrial Siglo XXI
Aguascalientes, AGS
Mexico 20290
Phone: +52-449-929-5410
Fax: +52-449-929-5411
www.tungaloy.com/mx
<https://www.ntkcuttingtools.com/mx/>

Tungaloy-NTK do Brasil Ltda.

Avd. Independencia N4158
Residencial Flora
13280-000 Vinhedo
São Paulo, Brazil
Phone: +55-19-38262757
Fax: +55-19-38262757
www.tungaloy.com/br
<https://www.ntkcuttingtools.com/br/>

Tungaloy Hungary Kft

Erzsébet királyné útja 125
H-1142 Budapest, Hungary
Phone: +36 1 781-6846
Fax: +36 1 781-6866
www.tungaloy.com/hu

Tungaloy Turkey

Serifali Mah.bayraktar
Bulvari Kule Sk. No:26
34775 Umraniye / Istanbul / Turkey
Phone: +90 216 540 04 67
Fax: +90 216 540 04 87
www.tungaloy.com/tr

Tungaloy Benelux b.v.

Tjalk 70
NL-2411 NZ Bodegraven Netherlands
Phone: +31 172 630 420
Fax: +31 172 630 429
www.tungaloy.com/nl

Tungaloy Croatia

Ulica bana Josipa Jelačića 87,
10430 Samobor, Croatia
Phone: +385 1 3326 604
Fax: +385 1 3327 683
www.tungaloy.com/hr

NTK Cutting Tools (Shanghai) Co., Ltd

Room 103, Building C, No. 7666 Zhongchun Road, Minhang District, Shanghai, 200131, China
Phone: +86-21-64788878
Fax: +86-21-64788879
www.ntkcuttingtools.com/zh-hans/

Tungaloy-NTK Germany GmbH

Katzbergstr. 3a
D-40764 Langenfeld, Germany
Phone: +49-2173-90420-0
Fax: +49-2173-90420-19
www.tungaloy.com/de
<https://www.ntkcuttingtools.com/de/>

Tungaloy France S.A.S.

Les Fjords
19 avenue de Norvège
91140 Villebon Sur Yvette, France
Phone: +33-1-6486-4300
Fax: +33-1-6907-7817
www.tungaloy.com/fr

Tungaloy Italia S.r.l.

Viale Sarca 336/Edificio 13
20126 Milano, Italy
Phone: +39-02-252012-1
Fax: +39-02-252012-65
www.tungaloy.com/it

Tungaloy Czech s.r.o

Turanka 1583/115g,
627 00 Brno, Czech Republic
Phone: +420-532 123 391
www.tungaloy.com/cz

Tungaloy Ibérica S.L.

C/Miquel Servet, 43B, Nau 7
Pol. Ind. Bufalvent
ES-08243 Manresa (BCN), Spain
Phone: +34 93 113 1360
Fax: +34 93 876 2798
www.tungaloy.com/es

Tungaloy-NTK Cutting Tools (Thailand) Co.,Ltd.

Interlink tower 4th Fl.
1858/5-7 Bangna-Trad Road
km.5 Bangna, Bangna, Bangkok 10260
Thailand
Phone: +66-2-751-5711
Fax: +66-2-751-5715
www.tungaloy.com/th
<https://www.ntkcuttingtools.com/th/>

Tungaloy Cutting Tools (Taiwan) Co.,Ltd.

9F. No.293, Zhongyang Rd,
Xinzhuang Dist, New Taipei City,
24251 Taiwan
Phone: +886-2-8521-9986
Fax: +886-2-8521-8935
www.tungaloy.com/tw

Tungaloy Singapore (Pte.), Ltd.

62 Ubi Road 1,
#08-09 Oxley BizHub 2
Singapore 408734
Phone: +65-6391-1833
Fax: +65-6299-4557
www.tungaloy.com/sg

Tungaloy-NTK Vietnam LLC

3rd Floor, Licogi 13 Tower,
164 Khuat Duy Tien, Nhan Chinh, Thanh Xuan District,
Hanoi, Vietnam
Phone: +84 24 63282086
www.tungaloy.com/vn

Tungaloy Scandinavia AB

Bultgatan 38, 442 40
Kungälv, Sweden
Phone: +46-462119200
Fax: +46-462119207
www.tungaloy.com/se

Tungaloy Rus, LLC

Andropova avenue, h.18/7,
11 floor, office 3, 115432,
Moscow, Russia
Phone: +7-499-683-01-80
Fax: +7-499-683-01-81
www.tungaloy.com/ru

Tungaloy Polska Sp. z o.o.

Ul. Irysowa 1, 55-040 Bielany
Wrocławskie, Poland
Phone: +48 607 907 237
www.tungaloy.com/pl

Tungaloy-NTK U.K. Ltd

Suite 3, Pioneer House, Mill Street,
Cannock, WS11 0EF, UK
Phone: +44 121 4000 231
Fax: +44 121 270 9694
www.tungaloy.com/uk
<https://www.ntkcuttingtools.com/uk/>

Tungaloy India Pvt. Ltd.

One International Center,
Unit # 902-A, 9th Floor,
Tower 1, Senapati Bapat Marg,
Elphinstone Road (West),
Mumbai -400013, India
Phone: +91-22-6124-8804
Fax: +91-22-6124-8899
www.tungaloy.com/in

Tungaloy-NTK Korea Ltd

1040 Gachang-ro, Gachang-myeon,
Dalseong-gun, Daegu, 42936, Korea
Phone: +82-53-760-7698
Fax: +82-53-768-9912
www.tungaloy.com/kr

Tungaloy Malaysia Sdn Bhd

50 K-2, Kelana Mall, Jalan
SS6/14, Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan
Malaysia
Phone: +603-7805-3222
Fax: +603-7804-8563
www.tungaloy.com/my

Tungaloy Australia Pty Ltd

Unit 68 1470 Ferntree Gully Road
Knoxfield 3180 Victoria, Australia
Phone: +61-3-9755-8147
Fax: +61-3-9755-6070
www.tungaloy.com/au

PT. Tungaloy Indonesia

Kompleks Grand Wisata Block AA-10
No.3-5 Cibitung
Bekasi 17510, Indonesia
Phone: +62-21-8261-5808
Fax: +62-21-8261-5809
www.tungaloy.com/id